



ALPHA
PROTECTS

Product Catalog

Surface Protection Products



call:
click:

780-298-0165
www.alphaprotects.ca

We provide our clients with the most COMPLETE arsenal of products for a wide range of applications.

Product	Impact Resistance	Water Resistant	Self Adhesive	Fire Resistant	Vertical Use	Breathable	Forklift Strong
Allprotect FR+	✓✓✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓		✓✓✓
Allprotect Original	✓✓	✓✓✓	✓✓✓		✓✓✓		✓✓✓
Allprotect Flex	✓✓	✓✓✓	✓✓✓		✓✓✓		✓✓
Floorshell	✓✓✓	✓✓				✓✓✓	✓✓✓
X-Board	✓✓	✓✓				✓✓✓	✓✓
X-Paper	✓	✓				✓✓✓	
X-Plastic	✓✓✓	✓✓✓			✓✓		✓✓✓
Supertuff	✓✓	✓✓✓					✓✓
Floorliner Original	✓✓	✓✓✓	✓✓		✓✓		✓✓
Floorliner Vapor	✓✓	✓✓✓	✓✓		✓✓	✓✓✓	✓✓
Floorliner Basic	✓	✓✓✓	✓✓		✓✓		
Aqua Shield	✓✓✓	✓✓✓		✓✓✓			✓✓✓
EZ Cover	✓✓✓	✓✓				✓✓✓	✓✓✓
Bauma	✓✓✓	✓✓✓				✓✓✓	✓✓✓
Window Protect	✓	✓✓✓	✓✓✓		✓✓✓		
Hard Surface Protect	✓	✓✓✓	✓✓✓		✓✓✓		
Carpet Protect	✓	✓✓✓	✓✓✓				

PRODUCTS



Surface Protection

Allprotect FR+	4
Allprotect Original	5
Allprotect Flex	6
Floorshell	7
X-Board	8
X-Paper	9
X-Plastic	10
Supertuff	11
Floorliner Original	12
Floorliner Vapor	13
Floorliner Basic	14
Aqua Shield	15
EZ Cover	16
Bauma	17
Window Protect	18
Hard Surface Protect	19
Carpet Protect	20

Other Products

Alpha 30 Day Tape	21
Alpha Site Tape	22
Alpha Kraft Tape	23
Alpha Shoe & Boot Guards	24
Alpha Waterproof Shoe & Boot Guards	25
Alpha Sticky Mats	26
Sealants, Adhesives, & More	27

Our Top-Selling Surface Protection Product

ID: ALLPFR-0350

- Self-Adhesive
- Hard Wearing Material
- Strong & Durable
- Impermeable Adhesive Reverse Side
- Anti-Static
- Flame Retardant
- Quickly Application
- Reusable
- Made From 100% Recycled Materials



Hard-wearing, non-woven underside and made of synthetic fibers with residue-free adhesive PE film as a liquid barrier. Before use, acclimatization at room temperature of 18°C is necessary. The product is largely vapor-tight and can be used on certain surfaces with active diffusion. Trial use on test surfaces is recommended.

Advantages:

- Protects floors, stairs, furniture, etc.
- Acts as a temporary dirt trap from mechanical damage and stains from spilled liquids
- High level of mechanical resistance in areas subjected to heavy stress
- Can be used vertically
- Helps prevent accidents (underside has a residue-free adhesive PE film)
- Fast, crease-free laying (saves time)
- Anti-static surface
- Flame retardant

Product Specifications:

Width	1 m
Length	25 m
Color	Grey
Thickness	2.5 mm
Weight	350 g/m ²
Static Puncher Force CBR	4.0 KN
Dynamic Perforation Resistance	15 mm
Water Impermeability	Water-tight
Water Absorption Ability	600% by weight

ALLPROTECT ORIGINAL

Self-Adhesive, Hard Wearing Material, Created From Non-woven Synthetic Fibers

ID: ALLPORI-0350

- Quickly Applied
- Reusable
- Strong and Durable
- Made From 100% Recycled Materials



Hard-wearing non-woven made of synthetic fibers underside with residue-free adhesive PE film as a liquid barrier. Before use, acclimatization at room temperature of 18°C is necessary. The product is largely vapor-tight and can be used on certain surfaces with active diffusion. Trial use on test surfaces is recommended.

Advantages:

- Protects floors, stairs, furniture, etc.
- Acts as a temporary dirt trap from mechanical damage and stains from spilled liquids
- High level of mechanical resistance in areas subjected to heavy stress
- Can be used vertically
- Helps prevent accidents (underside has a residue-free adhesive PE film)
- Anti-static surface
- Flame retardant
- Environmentally friendly (free of harmful substances, thermally disposable)

Product Specifications:

Width	1 m
Length	25 m
Color	Grey
Thickness	2.5 mm
Weight	350 g/m ²
Static Puncher Force CBR	4.0 KN
Dynamic Perforation Resistance	10 mm
Water Impermeability	Water-tight
Water Absorption Ability	430% by weight

ALLPROTECT ORIGINAL

ALLPROTECT FLEX

Self-Adhesive, Hard Wearing Material, Impermeable Adhesive Reverse Side, Flexible Applications

ID: ALLFLEX-0250

- Quickly Applied
- Reusable
- Strong and Durable
- Made From 100% Recycled Materials



Flex is made of a strong but flexible non-woven underside, made of synthetic fibers with residue-free adhesive PE film as a liquid barrier. Before use, acclimatization at room temperature of 18°C is necessary. The product is largely vapor-tight and can be used on certain surfaces with active diffusion. Trial use on test surfaces is recommended.

Advantages:

- Protects floors, stairs, furniture, etc.
- Acts as a temporary dirt trap from mechanical damage and stains from spilled liquids
- It is designed for critical application positions
- Can be used vertically
- Helps prevent accidents (underside has a residue-free adhesive PE film)
- Fast, crease-free laying (saves time)
- Easily applied
- Quick cutting for intricate and hard to reach areas

Product Specifications:

Width	1 m
Length	25 m
Color	Grey
Thickness	2.5 mm
Weight	250 g/m ²
Static Puncher Force CBR	4.0 KN
Dynamic Perforation Resistance	30 mm
Water Impermeability	Water-tight
Water Absorption Ability	800% by weight

Heavy Duty Temporary Surface Protection

ID: TM12380

- Heavy Duty Impact Protection
- Durable
- Breathable
- Made From 100% Recycled Newsprint



FloorShell is a contractor strength surface protection roll for your toughest jobs. Heavy duty construction board made from 100% recycled newsprint, this item is eco-friendly and reusable. FloorShell protects wood, concrete, stone, tile, linoleum, epoxy, vinyl composition tile (vct), and most other floor types. The 45 mil thick board can even stand up against the wear and tear of forklifts. Worried about spills? Our new innovative Spill Block™ liquid repellent technology protects against paint, mud, water, and more. Our scored edge provides protection for baseboards, walls, and can even be used to contain debris to the aisle.

Product Specifications:

Width	38"
Length	100'
Color	Brown
Thickness	45 mil

Advantages:

- 45 mil thickness - forklift strong!
- Breathable to allow curing of floors
- Spill Block™ technology
- Made in the USA
- Earn up to 2 LEED points on projects seeking USGBC Certification
- Works great with our Seam Tape

Heavy Duty, Lightweight, Surface Protection

ID: TM12370

- Heavy Duty Impact Protection
- Durable
- Breathable
- Easy to Use
- Lays Flat



X-Board is breathable to allow floors to continue their curing process. It's easy-to-use and lays flat when rolled out. Our Spill Block™ technology ensures no paint, mud, or water will get through to your surface. X-Board will last for the endurance of the job and features our innovative liquid repellent technology.

Advantages:

- Durable + Long Lasting
- Made in the USA
- Spill Block™ Technology
- Breathable to allow curing of floors
- Easy-to-use
- Lays flat
- Works great with our Seam Tape

Product Specifications:

Width	35"
Length	100'
Color	Brown
Thickness	22 mil

Heavy Duty Floor and Surface Protector

ID: TM12360

- 1.5x Thicker Than Regular Contractor Paper
- Durable
- Breathable
- Easy-to-Use
- Lays Flat



X-Paper is a heavy duty floor protector. It is 2.5 times thicker than regular contractor's paper and is breathable to allow floors to continue the curing process. It provides superior protection for all types of floors and surfaces. The paper is easy to work with and repels minor spills. Spend less time applying and re-applying paper on the job. This construction paper will be a must have on your job.

Product Specifications:

Width	36"
Length	120'
Color	Brown
Thickness	2.5x Thicker Than Builders Paper

Advantages:

- Durable + Long Lasting
- Made in the USA
- Repels minor spills
- Breathable to allow curing of floors
- Easy-to-use
- Lays flat
- Cost-effective for any site or project

Heavy Duty Corrugated Plastic

ID: TM90648

- Heavy Duty Impact Protection
- Repels Liquids
- Chemical Resistant
- Easy to Clean



Trimaco's Corrugated X-Plastic is a contractor strength layout board designed for your toughest jobs. The three-layered plastic provides extra padded protection and features a smooth top. Easier to use than heavy masonite and easily cut with a utility knife. 100% recyclable plus water and chemical resistant. Available in pallet quantities only.

Product Specifications:

Width	4'
Length	8'
Color	Translucent
Thickness	4 mm

Advantages:

- Forklift strong at only 4mm thickness!
- Heavy duty surface protection designed to repel liquids
- Protects walls, floors, & glass
- Economical + reusable
- Non toxic + chemical resistant

Heavy Duty Surface Protector

ID: TM86

- Heavy Duty Impact Protection
- Durable
- Impact Resistant
- Long Lasting
- Easy to Clean



This heavy duty surface protector is absorbent, slip-resistant and reusable. Great for all types of floors and counter tops, SuperTuff Surface Protector is perfect for any construction, repair, renovation or paint job. Features impact resistant protection, plus is long lasting and easy to clean. This absorbent fabric is made from 100% post consumer recycled PET bottles. Multi- surface protection that is made in the USA!

Product Specifications:

Width	36"
Length	50' or 100'
Color	Black
Thickness	2.5 mm

Advantages:

- Absorbent, slip-resistant + reusable
- Great for all types of floors + counters
- Made in the USA
- Long lasting + easy to clean

FLOORLINER ORIGINAL

Water Impermeability & Impact Resistant 'Roll Out' Protection

ID: FLO ORI-0180

- Suitable For Use On Large Areas
- Self-Adhesive
- Protection Against Dust, Dirt, Debris, & More
- Water Impermeability



Floorliner Original is a water and impact resistant 'roll out' protection and being self-adhesive requires no additional taping or fixing to stay in place.

It is supplied in rolls and therefore, unlike other impact protection products, is easily transported and maneuvered on site.

Advantages:

- Protects floors, carpets, stairs, tiles, etc
- Protects from mechanical damage or stains from spilled liquids
- Helps to prevent accidents
- The rear side has active protection to help against slipping
- Can be re-used several times
- Can be laid out quickly
- Environment-friendly
- Composed of non-woven synthetic fibers; top side with PE sheet for water resistance; rear side with slip resistant coating

Product Specifications:

Width	1 m or 2 m
Length	50 m
Color	White
Thickness	2 mm


Important:

Do not lay Floorliner Original on freshly laid flooring, ceramic tiles, porous flooring, clay tiles, freshly sealed wooden flooring or any surface that should be allowed to breathe.

Breathable Surface Protection

ID: FLO VAP-0160

- Breathable
- Impermeable
- Cut to Size
- Residue Free
- Fuzz Resistant
- Easy to Clean
- Impact Resistant



Floorliner Vapour is non-woven with a vapor-transmitting PE sheet as a liquid barrier. It is designed to cover and protect freshly laid floors and enables rising moisture and solvents to evaporate. A slip-resistant adhesive coating guarantees an ideal grip and safe working conditions.

Advantages:

- Easy installation and disposal
- Non-slip
- Vapor permeable: allows solvents and moisture in the flooring to evaporate
- Impermeable to liquids
- Impact resistant
- Composed of non-woven synthetic fibers; top side with PE sheet for water resistance; rear side with slip resistant coating

Product Specifications:

Width	1 m or 2 m
Length	50 m
Color	White
Thickness	1.8 mm

FLOORLINER BASIC

Lightweight Nonwoven Liner With Numerous Uses

ID: FLO BAS-0140

- Non-Slip For Safer Sites
- Impermeable
- Works on Many Surfaces



Floorliner basic is a quality nonwoven with a waterproof surface. It is the ideal solution for short-term protection where significant mechanical impact is not a risk factor.

Advantages:

- Economical
- Protects floors, carpets, stairs, tiles, etc
- Protects from light mechanical damage or stains from spilled liquids
- Helps to prevent accidents
- The rear side has active protection to help against slipping
- Can be re-used several times
- Can be laid out quickly
- Environment-friendly - free of harmful substances, thermally disposable

Product Specifications:

Width	1 m or 2 m
Length	50 m
Color	White
Thickness	1.3 mm

Heavy Duty Lightweight Surface Protection

ID: TM89

- Heavy Duty Impact Protection
- Durable
- Breathable
- Easy-to-Use
- Lays Flat



Aqua Shield Surface Protector provides fire retardant surface protection. The durable Masonite alternative is leak proof and slip resistant. The heavy duty roll comes in multiple thicknesses and protects all types of surfaces during the manufacturing, building and repair processes. The dust-free surface protector is ideal for healthcare facilities and large construction jobs. Quick and easy installation dramatically cuts labor cost – no more bulky Masonite. Provides maximum strength against forklifts and scissor lifts.

Advantages:

- Forklift and scissor lift strong!
- Leak-proof: ideal for indoor or outdoor projects
- Quick and easy to install, dramatically cutting labor costs—the 6' wide 24 mil product is equivalent to 33 sheets of Masonite or other 4' x 8' board products
- Provides dust-free protection-ideal for healthcare
- Flame Retardant—tested and certified to NFPA-701 Test Method 2

Product Specifications:

Width	3' or 6'
Length	100', 120', 186', or 393'
Color	Aqua Blue
Thickness	10, 24, or 40 mil

Tough Breathable Flooring Protection

ID: EZC-08-50

- Simple Installation
- Reusable
- Breathable
- Easy-to-Use
- Lays Flat



EZ Cover Protective Covering is a natural colored cellulose product designed to help protect colored or gray slabs, marble, hardwood, terrazzo, or other flooring material during the construction process. The product is available as 8' x 50' Rolls covering 400 square feet. Its protective blanket features a soft bottom layer to help prevent surface scratches, while also allowing new slabs to continue to breathe and harden. The harder top layer helps shield against contaminants and potential impact hazards.

Product Specifications:

Width	8'
Length	50'
Color	White
Thickness	3.18 mm
Weight	1200 g/sm

Advantages:

- High friction coefficient keeps blanket in place
- Lightweight, movable & reusable with proper care
- Helps prevent surface scratches, contaminants and potential impact hazards
- Disposable, biodegradable and landfill friendly
- Easy-to-use
- Lays flat
- Breathable

Breathable, Impermeable, High Impact Protection

ID: BAUMA-0290

- Quickly Applied
- 100% Polyester
- Nonwoven Composite
- Quick and Easy to Install



Bauma is a non woven composite made of continuous, 100% polyester. It has one side laminated with a vapor transmitting PE film.

Advantages:

- High resistance against mechanical impact
- Breathable, solvents and moisture can evaporate
- Residue free even with higher moisture levels.
- Fast and wrinkle free application
- Impermeable – protects floors against any liquids
- Exceptional tearing strength, great for repeated use
- Free of harmful substances, thermally disposable
- Quick and easy to install
- Printable for custom logo application

Product Specifications:

Width	1 m or 2 m
Length	25 m
Color	White
Thickness	3 mm
Weight	300 g/m ²

Low Tack Window Protection Film

ID: TM88028

- Low Tack
- Residue Free
- Multiple Sizes
- Easy to Use and Apply



Window Protect is a self adhesive temporary glass protection film. Available in clear or blue tint Window Protect provides an excellent barrier to protect your glass and frames from paint splashes, dust and dirt without blocking out light. Quick and easy to apply, its simply rolled out and smoothed into place by hand, or using one of our specially designed applicators, with no additional tape or fixing required. Its low tack adhesive leaves no residue on removal reducing the 'clean up' time before hand over.

Product Specifications:

Width	24" or 36"
Length	600"
Color	Blue or clear

Advantages:

- Quick Application
- Self-adhesive
- Waterproof
- Residue Free
- UV Protected

HARD SURFACE PROTECT

Protects Hard Surface With Easy Application

ID: TM62300

- Easy Application
- No Residue
- Dirt, Spills, & Foot Traffic Protection
- Lasts Up To 30 Days



Our Hard Surface Protective Film is reverse wound for easy application. The non-skid film protects against spills, dirt and foot traffic. Once applied, the film provides a tight bond with hard surfaces, yet it's easy to remove and leaves no residue. This blue, tough, durable film resists tearing, abrasion and puncturing. Great for protecting hard floors, counter tops, appliances, bathtubs, showers, tile, marble and more. Up to 30 days of use. Our Film Applicator makes this product easy to apply on the job.

Advantages:

- Resists tearing and abrasion
- Lasts up to 30 days
- Leaves behind no residue
- Applies easily

Product Specifications:

Width	24" or 36"
Length	50", 100", or 500"
Color	Clear

Adhesive Carpet Protection Film

ID: PS103-024

- Residue Free
- Durable
- Lightweight
- Waterproof
- Easy to Use



Carpet Protect is a tried, tested and proven self-adhesive clear carpet protector film and with over 1 million square meters sold every year, it's easy to see why it's amongst the most popular carpet protection films. It can be applied freehand or with our specially made carpet protection film applicators (Carpet Dispenser). It can be laid in single strips as a 'runner' or installed across a whole carpeted surface to provide a waterproof barrier; protecting from spills, dirt and contamination from foot traffic. Carpet Protect has the additional benefit of being tested to BS 4790 (flame retardant test used for carpets and other textile coverings). Contact us if you wish to see all certifications.

Product Specifications:

Width	24", 36", or 48"
Length	200', 500', or 1000'

Advantages:

- Residue free
- Industrial strength
- Waterproof
- Hygienic
- Flame retardant

Polyethylene Masking Tape

ID: CT250-02

- Moisture Resistant
- 30 Day UV Resistance
- Sticks to Rough Surfaces



This tape is made of a red polyethylene film and coated with a natural rubber adhesive. This tape is designed for masking and protecting surfaces during stucco application. Recommended as well as general protective tape, repair tape and identification tape. Also works great as a seaming tape with our temporary flooring products. Removes clean with up to 30 days exposure to sunlight.

Product Specifications:

Width	2"
Length	180'
Color	Red

Advantages:

- Incredibly moisture resistant
- Coated with a natural rubber adhesive: works on many surfaces
- Also works as a seaming tape for temporary flooring products

Heavy Duty Tape

ID: YST

▪ Heavy Duty Impact Protection ▪ Durable ▪ Multiple Sizes ▪ Easy to Use and Apply



Tough 6 mil tape protects hard surfaces from damage and releases cleanly. Useful as a general construction tape or to protect bathtubs and fixtures, door thresholds and as a temporary mask for stucco and plaster. It features 6 mil Heavy-Duty adhesive poly. All purpose tape for general construction needs. Temporary surface protection for metal door thresholds and window frames, protection of tubs and other bathroom fixtures, and grout and mortar mask.

Product Specifications:

Width	3", 6", or 12"
Length	100'
Color	Yellow
Thickness	6 mil

Advantages:

- Available in many sizes
- Releases cleanly
- Useful in general construction or to protect fixtures, framing, and other features

Extensible Flatback Treated Kraft Paper

ID: CT 134-04

- Low Tack
- Residue Free
- Multiple Sizes
- Easy to Use and Apply



An economical, water resistant treated Kraft paper coated with a high tack synthetic rubber adhesive. This tape offers good holding power and low temperature performance. Great for applications such as moisture resistant carton sealing, moving tape, carpet underlay seaming tape, or our preferred method of holding down and joining our temporary board flooring products.

Advantages:

- Economical
- Water resistant
- Great holding power
- Excellent for joining our temporary board flooring products

Product Specifications:

Width	3"
Length	157'
Color	Brown
Thickness	
Weight	

Polypropylene Footwear Protectors

ID: ALPHA-NSSHCV

▪ Fits Most Sizes ▪ Durable ▪ Leak Resistant ▪ Built-in Bottom Grips



Protect shoes and floors with our Shoe Covers. Elastic ankle slips on easily over all shoes and stays on snugly. Perfect for protecting shoes from paint and debris, or protecting flooring from tracking in dirt. Use for painting, sanding, general construction work, open houses and more. These are completely leak resistant and very durable.

Product Specifications:

Size	Fits Most Shoe Sizes
Quantity	50 Pairs
Color	Blue

Advantages:

- Slip resistant
- Economical
- Protects footwear

Cast Polyethylene Footwear Protectors

ID: ALPHA-WRSHCV

- Fits Most Sizes
- Durable
- Completely Water Resistant
- Protects From All Liquids and Spills



Protect shoes and floors with our CPE Waterproof Shoe Covers. Elastic ankle slips on easily over all shoes and stays on snugly. Perfect for protecting shoes from paint and debris, or protecting flooring from tracking in dirt. Use for painting, sanding, general construction work, open houses and more. Cast polyethylene with textured tread making it very durable and completely waterproof.

Product Specifications:

Size	Fits Most Shoe Sizes
Quantity	50 Pairs
Color	Blue

Advantages:

- Slip resistant
- Economical
- Protects footwear
- Waterproof

ALPHA WATERPROOF SHOE + BOOT GUARDS

Ultra Sticky Footwear Cleaning Mats

ID: TM01267

- Reduces Job Site Tracking from Shoes and Wheels
- Great for all Entryways



Alpha Protects Ultra Sticky Mat is the perfect solution to reduce tracking on the job. When placed inside job site or work area entrances, the sticky mat traps dirt, dust and contaminants from shoes, boots, hand trucks and carts. Our starter kit contains a 30 layer 18" x 45" mat. Just peel the dirty layer off to reveal a new, clean sheet underneath. The mat will hold up to the toughest use and is easily applied anywhere extra protecting is required.

Product Specifications:

Width	18"
Length	45"
Color	Blue
Layers	30

Advantages:

- Keeps job sites clean
- Cleans shoes and wheels at entryways
- Economical
- Comes in peel-able layers; long lasting

Order Online
www.alphaprotects.ca

Call Us
780-298-0165

Sealants + Adhesives



Dust Contamination



Door Protection



Supplies



MORE PRODUCTS



ALPHA
PROTECTS

Get The **Best**
www.alphaprotects.ca